



SAFETY DATA SHEET

P5125 HM BUTYL

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME: P5125 HM BUTYL

PART No.: 91251, 95445, 95447, 95448, 95449, 95454, 96638, 95601, 954526, 95451, 954533

SUPPLIER: BOSTIK FINDLEY LIMITED
COMMON ROAD
STAFFORD. ST16 3EH
STAFFORDSHIRE
Tel: +44 1785 272727
Fax: +44 1785 257236

EMERGENCY TELEPHONES: +44 1785 255141 +44 1785 272650

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS: No hazardous materials present as defined by Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 (CHIP 3)

3. HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4. FIRST AID MEASURES

GENERAL: General first aid, rest, warmth and fresh air.

INHALATION: Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION: DO NOT induce vomiting. Get medical attention immediately.

SKIN: Remove affected person from source of contamination. Rinse the skin immediately with lots of water. Get medical attention if irritation persists after washing.

EYES: Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

5. FIRE FIGHTING MEASURES

| | |
|---------------------------------------|--|
| EXTINGUISHING MEDIA: | This material is combustible but not flammable Use extinguishing media appropriate for surrounding fire. |
| HAZARDOUS COMBUSTION PRODUCTS: | Fire creates: Carbon dioxide (CO ₂). Carbon monoxide (CO). Hydrocarbons. |
| PROTECTIVE MEASURES IN FIRE: | Wear self contained breathing apparatus |

6. ACCIDENTAL RELEASE MEASURES

| | |
|--|--|
| PERSONAL PRECAUTION IN SPILL: | Wear personal protective equipment. |
| PRECAUTIONS TO PROTECT ENVIRONMENT: | Prevent entry into drains and water courses. |
| SPILL CLEANUP METHODS: | Stop leak if possible without risk. Do not contaminate water sources or sewer. Pick up with vacuum or absorbent solid, store in closed container for disposal. Avoid contact with skin or inhalation of spillage, dust or vapour. Wear necessary protective equipment. |

7. HANDLING AND STORAGE

| | |
|-----------------------------|---|
| USAGE PRECAUTIONS: | Avoid spilling, skin and eye contact. Do not handle broken packages without protective equipment. Avoid inhalation of vapours. Provide good ventilation. Mechanical ventilation or local exhaust ventilation may be required. |
| STORAGE PRECAUTIONS: | Keep in cool, dry, ventilated storage and closed containers. Keep in original container. Store under dry conditions between 5 and 25°C. Keep dry during transportation. |
| STORAGE CRITERIA: | Chemical storage. |

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



| | |
|----------------------------|---|
| PROCESS CONDITIONS: | Use engineering controls to reduce air contamination to permissible exposure level. Personal protection information covers the product in both the granular and molten states |
| VENTILATION: | All handling to take place in well ventilated area. Provide sufficient ventilation during operations which cause vapour formation. |
| RESPIRATORS: | No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists. |
| PROTECTIVE GLOVES: | Use suitable protective gloves if risk of skin contact. Use thin cotton gloves inside the rubber gloves if allergy risk. |

| | |
|---------------------------------|--|
| EYE PROTECTION: | If risk of splashing, wear safety goggles or face shield. |
| OTHER PROTECTION: | Wear suitable protective clothing as protection against splashing or contamination. |
| HYGIENIC WORK PRACTICES: | Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. No eating or drinking while working with this material. Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|---|--------------|--------------------------|-----|
| APPEARANCE: | Solid. Waxy. | | |
| COLOUR: | Black. | | |
| DENSITY/SPECIFIC GRAVITY (g/ml): | 1.15 to 1.19 | Temperature (°C): | |
| VISCOSITY (interval): | 400 Pas | Temperature (°C): | 180 |

10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| STABILITY: | Normally stable. |
| CONDITIONS TO AVOID: | Avoid excessive heat for prolonged periods of time. |
| HAZARDOUS POLYMERIZATION: | Unknown. |
| HAZARDOUS DECOMP. PRODUCTS: | Fire creates: Acrid smoke/fumes of: Carbon monoxide (CO). Carbon dioxide (CO ₂). Hydrocarbons. |

11. TOXICOLOGICAL INFORMATION

| | |
|-------------------------|--|
| HEALTH WARNINGS: | Serious long-term effects are not known to be related to this type of product. Particles in the eyes may cause irritation and smarting. May cause discomfort if swallowed. |
|-------------------------|--|

12. ECOLOGICAL INFORMATION

| | |
|--------------------------------|--|
| ECOLOGICAL INFORMATION: | Not regarded as dangerous for the environment. |
|--------------------------------|--|

13. DISPOSAL CONSIDERATIONS

| | |
|--------------------------|---|
| DISPOSAL METHODS: | Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical. |
|--------------------------|---|

14. TRANSPORT INFORMATION

GENERAL: Not classified for transport

15. REGULATORY INFORMATION

NC Not classified

RISK PHRASES: Not classified.

SAFETY PHRASES: P-14 Contains
N-BETA-(AMINOETHYL)-GAMMA-AMINOPROPYLTRIMETHOXYSILANE. May
produce an allergic reaction.

STATUTORY INSTRUMENTS: Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE: Classification and Labelling of Substances and Preparations Dangerous for Supply.

16. OTHER INFORMATION

USER NOTES: This product should be used as directed by Bostik Findley Ltd. For further information
consult the product data sheet or contact Technical Services.

INFORMATION SOURCES: This safety data sheet was compiled using current safety information supplied by
distributor of raw materials.

REVISION COMMENTS: This safety data sheet supersedes all previous issues and users are cautioned to
ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik
Findley Limited.

ISSUED BY: Approved IU

REVISION DATE: Nov 2003

REV. No./REPL. SDS GENERATED: 3

DATE: Feb 2003

PRINTING DATE: 2003-11-07